

Work Order ID 79356

79356

Page 1

Wednesday, January 25, 2012 12:25:04 PM

Item ID: D3646-3 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Arm
 Start Date: 1/25/2012 Start Qty: 8.00 ***8*** Cust Item ID:
 Required Date: 2/3/2012 Req'd Qty: 8.00 ***8*** Customer:
 Reference:

Approvals: Process Plan: M.L.J Date: 12/01/25 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3646	Rev B <u>CL</u>								

100 NC BRAKE 0.00
100
 Brake NC Memo 0.00
 Brake NC 1-Punch to length as per Dwg D3646 & template DT8959
 ant at 37.875 → FF 12-01-26 FF 12-02-02

110 Small Fab 0.00
110
 Small Fab Memo 0.00
 Small Fab 1-Deburr2- Bend as per dwg D3646
FF 12-02-02

120 QC5- Inspect part completeness to step on W/O 0.00
120
 QC Memo 0.00
 Quality Control Sr 12/02/02 FF

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

79356

Wednesday, January 25, 2012 12:25:04 PM

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 1/25/2012 **Start Qty:** 8.00

8

Cust Item ID:

Required Date: 2/3/2012 **Req'd Qty:** 8.00

8

Customer:

Reference:

Run Start *NR1*

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Stop ***NR2***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

[illegible]

Black Sandtex(Ref:4.3.5.7) per QSI005 4.3

0.00

130

Memo

0.00

Powdercoat

START TIME:

OVEN TEMPERATURE:

Powder Coating

FINISH TIME: _____

140

QC3- Inspect Part Finish

0.00

140

Memo

0.00

QC

Quality Control

150

Identify as per dwg & Stock Locations S1229

0.00

150

Memo

0.00

Packaging

Packaging

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 79356***79356***

Page 3

Wednesday, January 25, 2012 12:25:04 PM

Item ID: D3646-3

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Arm

Start Date: 1/25/2012 Start Qty: 8.00

8

Cust Item ID:

Required Date: 2/3/2012 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run HoursTool ID Tool # Plan
Code Accept Reject Reject Insp.
Qty Qty Number Stamp

160

QC21- Final Inspection - Work Order Release

0.00

160

QC

Memo

0.00

Quality Control

MLJ 12/02/06

12/02/06
(u)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, January 25, 2012 12:25:08 PM

Page 1

Work Order ID: 79356

79356

Parent Item: D3646-3

D3646-3

Parent Item Name: Arm

Start Date: 1/25/2012

Required Date: 2/3/2012

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP Rev. A new issue 07.07.25 EC verified by:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304TR0.500W.035		Purchased				110	f	102.2383	2.91	24.50526			

M304TR0 500W 0.35

304 RD Tube .500 x .035W

Location	Loc Qty	Loc Code
MAT017	102.2382723	
115535	0.913	
116720	1.66068	
117598	7.6415923	
119160	12.09	
119644	79.933	

~~14.55~~ FF 12-01-26
 + 5.82
20.37


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




D3646-1 ARM



D3646-2 ARM


NOTES:

- 1) MATERIAL: AISI 304/316 SS TUBE $\phi 0.500 \times 0.035$ WALL PER ASTM A213/A269 OR ASME A213 (REF DART SPEC. M304TR0500W.035)
- 2) FINISH: POWDER COAT "BLACK SANDTEX" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3646-X" AND B/N "BXXXXX" PER DART QSI 044 6.1 USING REMOVABLE TAG
- 7) WEIGHT: 0.38 lbs
- 8) DELETED AT REV. C
- 9) PUNCH BOTH ENDS PER SPEC CONTROL DWG D2727



SHOP COPY
REWORKED
UNCONTROLLED
SUBJECT TO AMT

WORK OF
NO. 39356 M.C.J.
12/01/25



RELEASED
2011-07-12

C	ADD-2 & -4 FOR LHS INSTALLATION. DELETE REFERENCES TO TEMPLATES (NOTE 8) PER SHOP REQUEST.	AJS	11.07.11
B	REFORMAT DWG, ANGLE 65° WAS 45° (ZN C3-1), ADD IDENTIFICATION TAG (ZN A8-1, A8-2)	CP	09.06.04
A	NEW ISSUE	MB	07.06.06
REV.	DESCRIPTION	BY	DATE
DESIGN	MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	MB	DRAWING NO.	REV. C
MFG. APPR.	MB	D3646	SHEET 1 OF 3
APPROVED	MB	TITLE	SCALE
DE APPR.	MB	ARM	NTS
DATE	11.07.11	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR DISCLOSED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

79356



RELEASED
2011-07-13

NOTES:

- 1) MATERIAL: AISI 304/316 SS TUBE $\varnothing 0.500 \times 0.035$ WALL PER ASTM A213/A269 OR ASME A213 (REF DART SPEC. M304TR0500W.035)
- 2) FINISH: POWDER COAT "BLACK SANDTEX" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3646-3" AND B/N "BXXXXX" PER DART QSI 044 6.1 USING REMOVABLE TAG
- 7) WEIGHT: 0.57 lbs
- 8) DELETED AT REV C.
- 9) PUNCH BOTH ENDS PER SPEC CONTROL DWG D2727

DESIGN	MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D3646	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		ARM	NTS
DATE	11.07.11	<small>COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESSED CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

79356



- NOTES:**
- 1) MATERIAL: AISI 304/316 SS TUBE $\phi 0.500 \times 0.035$ WALL PER ASTM A213/A269 OR ASME A213 (REF DART SPEC. M304TR0500W.035)
 - 2) FINISH: POWDER COAT "BLACK SANDETEX" (4.3.5.7) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3646-4" AND B/N "BXXXXX" PER DART QSI 044 6.1 USING REMOVABLE TAG
 - 7) WEIGHT: 0.57 lbs
 - 8) DELETED AT REV C.
 - 9) PUNCH BOTH ENDS PER SPEC CONTROL DWG D2727

RELEASED
2011-07-12
MT

DESIGN	MB	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D3646	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		ARM	NTS
DATE	11.07.11	<small>COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries